



# ELEMENTS OF NUMBER THEORY & CONGRUENCES

Lagrange, Legendre and Gauss

*Mathematics*

Vikasana – CET 2012



## ELEMENTS OF NUMBER THEORY & CONGRUENCES

1) If  $a \neq 0$ ,  $b \neq 0 \in \mathbb{Z}$  and  $a/b, b/a$  then

- 1)  $a=b$
- 2)  $a=1$
- 3)  $b=1$
- 4)  $a=\pm b$

*Mathematics*

Vikasana – CET 2012



- 2) 0 and 1 are
- 1) primes
  - 2) composite numbers
  - 3) neither prime nor composite
  - 4) none of these

*Mathematics*

Vikasana – CET 2012



- 3) If  $(ab,c) = 1$  &  $(a, c)=1$  then  $(b, c)=$
- 1) 1
  - 2) c
  - 3) b
  - 4) none of the these

*Mathematics*



4) If  $p$  is prime number then  $p/ab \Rightarrow$

- 1)  $p/a$
- 2)  $p/b$
- 3)  $p/a$  or  $p/b$
- 4) none of the these

*Mathematics*



5) **111.....1 (91 times) is**

- 1) a composite number
- 2) a prime number
- 3) a surd
- 4) Irrational

*Mathematics*



- 6) The number of positive divisors of 1400, including 1 and itself is
- 1) 18
  - 2) 24
  - 3) 22
  - 4) 21

*Mathematics*

Vikasana – CET 2012



7) The sum of all positive divisors of 960 excluding 1 and itself is

- 1) 3047
- 2) 2180
- 3) 2087
- 4) 3087

*Mathematics*

Vikasana – CET 2012



8) If  $(a+b)^3 \equiv x \pmod{a}$  then

- 1)  $x=a^2$
- 2)  $x=b^3$
- 3)  $x=a^3$
- 4)  $x=b^2$

*Mathematics*

Vikasana – CET 2012



9) Which of the following statement is false ?

- 1)  $98 \equiv -7 \pmod{3}$
- 2)  $67 \equiv 2 \pmod{5}$
- 3)  $123 \equiv -4 \pmod{7}$
- 4)  $240 \equiv 9 \pmod{11}$

Mathematics

Vikasana – CET 2012



10) If  $100 \equiv x \pmod{7}$ , then the least positive value of  $x$  is

- 1) 1
- 2) 3
- 3) 4
- 4) 2

*Mathematics*



11) When  $5^{20}$  is divided by 7 the remainder is

- 1) 1
- 2) 3
- 3) 4
- 4) 6

Mathematics

Vikasana – CET 2012



12) The last digit in  $7^{291}$  is

- 1) 1
- 2) 3
- 3) 7
- 4) 9

*Mathematics*

Vikasana – CET 2012



13) The digit in the unit place of the number  $183! + 3^{183}$  is

- 1) 7
- 2) 6
- 3) 3
- 4) 0

*Mathematics*

Vikasana – CET 2012



- 14) If  $-17 \equiv 3 \pmod{x}$ , then  $x$  can take the value
- 1) 7
  - 2) 3
  - 3) 5
  - 4) None of these

*Mathematics*



15) The smallest positive divisor of a composite integer  $a (>1)$  does not exceed

- 1)  $a^2$
- 2)  $\sqrt[3]{a}$
- 3)  $a^3$
- 4)  $\sqrt{a}$

Mathematics

Vikasana – CET 2012



16) Which following linear congruences has no solution

- 1)  $4x \equiv 1 \pmod{3}$
- 2)  $3x \equiv 2 \pmod{6}$
- 3)  $5x \equiv 3 \pmod{4}$
- 4)  $2x \equiv 1 \pmod{3}$

Mathematics

Vikasana – CET 2012



17) The relation congruence modulo  $m$  is

- 1) Reflexive
- 2) Symmetric
- 3) Transitive only
- 4) All of these

*Mathematics*

Vikasana – CET 2012



- 18) The least positive integer to which  $79 \times 101 \times 125$  is divided by 11 is
- 1) 5
  - 2) 6
  - 3) 4
  - 4) 8

Mathematics



19) If  $p = q \pmod{m}$  if and only if

- 1)  $(p - q) / m$
- 2)  $m/(p - q)$
- 3)  $m/p$
- 4)  $m/q$

*Mathematics*

Vikasana – CET 2012



20) When  $2^{100}$  is divided by 11, the remainder is

- 1) 3
- 2) 5
- 3) 1
- 4) 2

*Mathematics*

Vikasana – CET 2012



21) If  $a \equiv b \pmod{m}$  and  $(a, m) = 1$ ,  
then

- 1)  $(a, b) = 1$
- 2)  $(b, m) = 1$
- 3)  $(b, m) = a$
- 4)  $(a, b) = m$

*Mathematics*

Vikasana – CET 2012



22) If  $n \equiv 0 \pmod{4}$  then  $n^3 - n$  is divisible by

- 1) 6 but not 24
- 2) 12 but not 24
- 3) 24
- 4) 12 & 24

*Mathematics*

Vikasana – CET 2012



23) If  $195 \equiv 35 \pmod{M+2}$  then  
 $m =$

- 1) 4
- 2) 5
- 3) 0
- 4) 7

*Mathematics*

Vikasana – CET 2012



24) If  $2^8 \equiv (a+1) \pmod{7}$  is true then  
a is

- 1) 3
- 2) 4
- 3) 0
- 4) 5

*Mathematics*

Vikasana – CET 2012



25) The unit digit in  $13^{37}$  is

- 1) 5
- 2) 2
- 3) 6
- 4) 3

*Mathematics*

Vikasana – CET 2012



26) The number of incongruent solutions of  $24x \equiv 8 \pmod{32}$  is

- 1) 2
- 2) 4
- 3) 6
- 4) 8

*Mathematics*



27) The remainder when  $3^{100} \times 2^{50}$  is divided by 5 is

- 1) 3
- 2) 4
- 3) 1
- 4) 2

*Mathematics*

Vikasana – CET 2012



28) If  $a$  and  $b$  are positive integers such that  $a^2 - b^2$  is a prime number, then  $a^2 - b^2$  is

- 1)  $a+b$
- 2)  $a - b$
- 3)  $ab$
- 4) 1

Mathematics



29) Which of the following is a prime number ?

- 1) 370261
- 2) 1003
- 3) 73271
- 4) 667

*Mathematics*

Vikasana – CET 2012



30) Which of the following is false ?

- 1) An odd number is relatively prime to the next even number
- 2)  $3x \equiv 4 \pmod{6}$  has solution
- 3)  $ax \equiv bx \pmod{m} ; x \neq 0 \Rightarrow a \equiv b \pmod{m}$
- 4)  $a.x + b.y = d \Rightarrow (a, b) = d$

Mathematics

Vikasana – CET 2012



31) For all positive values of p, q, r,

and s,  $\frac{(p^2 + p + 1)(q^2 + q + 1)(r^2 + r + 1)(s^2 + s + 1)}{pqrs}$

will not be less than

- 1) 81
- 2) 91
- 3) 101
- 4) 111

Mathematics

Vikasana – CET 2012



32) If  $(a+b)^n \equiv x \pmod{a}$ , then (n is a +ve integer)

- 1)  $x = a^2$
- 2)  $x = a^n$
- 3)  $x = b^n$
- 4) none of these

*Mathematics*

Vikasana – CET 2012



33) If  $27 = 189m + 24n$  then m & n are

- 1) unique
- 2) not unique
- 3) prime numbers
- 4) none of these

*Mathematics*

Vikasana – CET 2012



34) If  $2x \equiv 3 \pmod{7}$ , then the values of  $x$  such that  $9 \leq x \leq 30$  are

- 1) 12, 19, 26
- 2) 11, 18, 25
- 3) 10, 17, 24
- 4) None of these

*Mathematics*



- 35) If  $p$  is a prime number and  $P$  is the product of all prime numbers less than or equal to  $p_1$ , then
- 1)  $P - 1$  is a prime
  - 2)  $P + 1$  is not a prime number
  - 3)  $P + 1$  is a prime number
  - 4)  $P + 1$  is a composite number

*Mathematics*



- 36)  $4x + 9 \equiv 3 \pmod{5}$  can be written as
- 1)  $x \equiv 5 \pmod{6}$
  - 2)  $x \equiv 3 \pmod{15}$
  - 3)  $x \equiv 6 \pmod{15}$
  - 4) None of these

*Mathematics*



37) If  $(3-x) \equiv (2x-5) \pmod{4}$ , then one of the values of  $x$  is

- 1) 3
- 2) 4
- 3) 18
- 4) 5

*Mathematics*

Vikasana – CET 2012



- 38) The remainder when  $64 \times 65 \times 66$  is divided by 67 is
- 1) 60
  - 2) 61
  - 3) 62
  - 4) 63

*Mathematics*

Vikasana – CET 2012



**GROUPS**

Lagrange, Legendre and Gauss

*Mathematics*

Vikasana – CET 2012



## GROUP

1) If  $x, y, z$  are three elements of a group and then  $(xy^{-1}z)^{-1} =$

- 1)  $x^{-1}y^{-1}z^{-1}$
- 2)  $x^{-1}yz$
- 3)  $z^{-1}yx^{-1}$
- 4)  $(xy^{-1}z)^{-1}$

*Mathematics*

Vikasana – CET 2012



- 2) If  $a * b = \sqrt{a} + \sqrt{b}$ , then  $*$  is a binary operation on
- 1) R
  - 2)  $\mathbb{Q}^+$
  - 3)  $\mathbb{R}_o$
  - 4)  $\mathbb{R}^+$

Mathematics

Vikasana – CET 2012



3) The identity element of  $a * b = a^{b-1}$   
is

- 1) 1
- 2) 0
- 3) 2
- 4) -1

*Mathematics*

Vikasana – CET 2012



- 4) In the group of rational numbers under a binary operation  $*$  defined by  $a * b = a+b-1$  then identity element is
- 1) 1
  - 2) 0
  - 3) 2
  - 4) -1

*Mathematics*



- 5) The set  $G = \{-3, -2, -1, 0, 1, 2, 3\}$  w.r.t. addition does not form a group since.
- 1) The closure axiom is not satisfied
- 2) The associative axiom is not satisfied
- 3) The commutative axiom is not satisfied
- 4) Identity axiom is not satisfied

Mathematics



- 6) If  $a * b = 2a - 3b$  on the set of integers. Then  $*$  is
- 1) Associative but not commutative
  - 2) Associative and commutative
  - 3) A binary operation
  - 4) Commutative but not associative

*Mathematics*



- 7) In the multiplicative group of cube roots of unity the inverse of  $w^{99}$  is
- 1)  $w$
  - 2) 1
  - 3)  $w^2$
  - 4) Does not exist.

Mathematics



8) The incorrect statement is

- 1) In  $(G, \cdot)$   $ab=ac \Rightarrow b=c, \forall a, b, c \in G$
- 2) Cube roots of unity form an abelian group under addition
- 3) In a abelian group  $(ab)^3=a^3b^3, \forall a, b \in G$
- 4) In a group of even order, there exists atleast two elements with their own inverse.

*Mathematics*

Vikasana – CET 2012



9) If H & K are two subgroups of a group G, then identify the correct statement

- 1)  $H \cap K$  is a sub group
- 2)  $H \cup K$  is a sub group
- 3) Neither  $H \cup K$  nor  $H \cap K$  is sub group
- 4) Nothing can be said about  $H \cup K$  and  $H \cap K$

Mathematics



10) In the group  $G = \{e, a, b\}$  of order 3,  $a^5b^4$  is

- 1) 3
- 2)  $ab$
- 3)  $a$
- 4)  $b$

Mathematics

Vikasana – CET 2012



11) In a group  $(G, *)$ ,  $a * x = b$  where  $a, b \in G$  has

- 1) Unique solution
- 2) No solution
- 3) More than one solution
- 4) Infinite number of solution

*Mathematics*



- 12) The set of (non singular) matrices of order  $2 \times 2$  over  $\mathbb{Z}$  under matrix multiplication is
- 1) Group
  - 2) Semi group
  - 3) Abelian group
  - 4) Non-abelian group

*Mathematics*



13) Which of the following is a subgroup of  $G=\{0, 1, 2, 3, 4, 5\}$  under addition modulo 6

- 1)  $\{0, 2\}$
- 2)  $\{0, 1\}$
- 3)  $\{0, 4\}$
- 4)  $\{0, 3\}$

Mathematics

Vikasana – CET 2012



14) The set of integers is

- 1) Finite group
- 2) Additive group
- 3) Multiplicative group
- 4) None of these

*Mathematics*



- 15) The set of all integers is not a group under multiplication because
- 1) Closure property fails
  - 2) Associative law does not hold good
  - 3) There is no identity element
  - 4) There is no inverse

*Mathematics*



16) A subset  $H$  of a group  $(G, *)$  is a subgroup of  $G$  iff

- 1)  $a, b \in H \Rightarrow a * b \in H$
- 2)  $a \in H \Rightarrow a^{-1} \in H$
- 3)  $a, b \in H \Rightarrow a * b^{-1} \in H$
- 4)  $H$  contains identity off  $G$ .

*Mathematics*



- 17)  $Z_n = \{0, 1, 2, \dots, (n-1)\}$  fails to be a group under multiplication modulo  $n$  because
- 1) Closure property fails
  - 2) Closure holds but not associativity
  - 3) There is no identity
  - 4) There is no inverse for an element of the set

*Mathematics*



18)  $G = \left\{ \begin{bmatrix} x & x \\ x & x \end{bmatrix} : x \neq 0 \text{ & } x \in \mathbb{R} \right\}$  is an abelian group under matrix multiplication. Then the identity element is

- 1)  $\begin{bmatrix} 1 & 0 \\ 0 & 1 \end{bmatrix}$
- 2)  $\begin{bmatrix} 1 & 1 \\ 1 & 1 \end{bmatrix}$
- 3)  $\begin{bmatrix} \frac{1}{2} & \frac{1}{2} \\ \frac{1}{2} & \frac{1}{2} \end{bmatrix}$
- 4)  $\begin{bmatrix} 1 & 2 \\ 3 & 5 \end{bmatrix}$

Mathematics



19) In the group  $G = \{3, 6, 9, 12\}$  under  $x_{15}$ , the identity is

- 1) 3
- 2) 6
- 3) 9
- 4) 12

*Mathematics*



20) The set of all  $2 \times 2$  matrices over the real numbers is not a group under matrix multiplication because

- 1) Inverse law is not satisfied
- 2) Associative law is not satisfied
- 3) Identity element does not exist
- 4) Closure law is not satisfied

*Mathematics*



21)  $(\mathbb{Z}, *)$  is a group with  $a * b = a+b+1, \forall a, b \in \mathbb{Z}$ . The inverse of  $a$  is

- 1)  $a+2$
- 2)  $-a+2$
- 3)  $-a-2$
- 4)  $a-2$

Mathematics

Vikasana – CET 2012



22) The four matrices  $\begin{pmatrix} 1 & 0 \\ 0 & 1 \end{pmatrix}$ ,  $\begin{pmatrix} -1 & 0 \\ 0 & 1 \end{pmatrix}$ ,  $\begin{pmatrix} 1 & 0 \\ 0 & -1 \end{pmatrix}$ ,  $\begin{pmatrix} -1 & 0 \\ 0 & -1 \end{pmatrix}$  under multiplication form is

- 1) a group
- 2) a semi group
- 3) an abelian group
- 4) infinite group

*Mathematics*



23) In the group  $(G, *)$ ,  $a * b = \frac{ab}{5}$  where  $\forall a, b \in G$ . The identity and inverse of 8 are respectively.

- 1) 5 &  $\frac{1}{5}$
- 2) 5 &  $\frac{25}{8}$
- 3) 5 &  $\frac{8}{25}$
- 4) 5 &  $\frac{3}{5}$

Mathematics



24) The proper subgroups of the group  $G = \{0, 1, 2, 3, 4, 5\}$  under addition modulo 6 are

- 1)  $\{0, 3\}$  and  $\{0, 2, 4\}$
- 2)  $\{0, 1, 3\}$  and  $\{0, 1, 4\}$
- 3)  $\{0, 1\}$  and  $\{3, 4, 5\}$
- 4)  $\{0\}$  and  $\{0, 1, 2, 3, 4, 5\}$

*Mathematics*



25) In the group  $G = \{1, 3, 7, 9\}$  under multiplication modulo 10,  
the value of  $(3 \times_{10} 7^{-1})^{-1}$  is

- 1) 5
- 2) 3
- 3) 7
- 4) 9

Mathematics



26) The incorrect statement is

- 1) The identity element in a group is unique
- 2) In a group of even order, there exists an element  $a \neq e$  such that  $a^2 = e$ .
- 3) The cube roots of unity are ,  $1, \frac{1-i\sqrt{3}}{2}, \frac{1+i\sqrt{3}}{2}$
- 4) In an abelian group  $(ab)^2 = a^2b^2, \forall a, b \in G$ .

Mathematics

Vikasana – CET 2012



27) In the multiplicative group of fourth roots of unity the inverse of  $i^{103}$  is

- 1) 1
- 2) -1
- 3) i
- 4) -i

*Mathematics*



28) Let  $Q_1 = Q - \{1\}$  be the set of all rationals except 1 and  $*$  is defined as  $a * b = a + b - ab \forall a, b \in Q_1$ . The inverse of 2 is

- 1) 2
- 2) 1
- 3) 0
- 4) -2

Mathematics



29) In the group  $\{\mathbb{Z}_6, + \text{ (mod } 6\}\}$ ,  
 $2+4^{-1} + 3^{-1}$  is equal to

- 1) 2
- 2) 1
- 3) 4
- 4) 3

Mathematics

Vikasana – CET 2012



30) Every group of order 7 is

- 1) Not abelian
- 2) Not cyclic
- 3) Cyclic
- 4) None of these

*Mathematics*

Vikasana – CET 2012



31) If  $g = \begin{pmatrix} 1 & 2 & 3 & 4 \\ 2 & 3 & 4 & 1 \end{pmatrix}$  and  $h = \begin{pmatrix} 1 & 2 & 3 & 4 \\ 3 & 2 & 1 & 4 \end{pmatrix}$   
are two permutations in group  
 $S_4$ , then  $(h \times g)(2) =$

- 1) 2
- 2) 1
- 3) 3
- 4) 4



32) If  $g = \begin{pmatrix} 1 & 2 & 3 & 4 \\ 3 & 4 & 1 & 2 \end{pmatrix}$  then  $g^{-1}$

- 1)  $\begin{pmatrix} 1 & 2 & 3 & 4 \\ 3 & 4 & 1 & 2 \end{pmatrix}$
- 2)  $\begin{pmatrix} 1 & 2 & 3 & 4 \\ 4 & 2 & 1 & 3 \end{pmatrix}$
- 3)  $\begin{pmatrix} 1 & 2 & 3 & 4 \\ 2 & 4 & 3 & 1 \end{pmatrix}$
- 4)  $\begin{pmatrix} 1 & 2 & 3 & 4 \\ 3 & 1 & 4 & 2 \end{pmatrix}$

Mathematics



33) In the group  $\{1, 2, 3, 4, 5, 6\}$  under multiplication modulo 7,  
 $5x=4$  has the solution  $x =$

- 1) 0.8
- 2) 2
- 3) 3
- 4) 5

*Mathematics*



34) In the group  $G=\{2, 4, 6, 8\}$  under  $X_{10}$ , the inverse of 4 is

- 1) 6
- 2) 8
- 3) 4
- 4) 2

Mathematics

Vikasana – CET 2012



35) The Set  $\{-1, 0, 1\}$  is not a group w.r.t. addition because it does not satisfy

- 1) Closure property
- 2) Associative law
- 3) Existence of identity
- 4) Existence of inverse

*Mathematics*



- 36) If every element of a group G is its own inverse, then G is
- 1) Finite
  - 2) Infinite
  - 3) Cyclic
  - 4) Abelian

*Mathematics*



37) If  $a, b, c$ , are three elements of a group  $(G, *)$ , and  $(a * b) * x = c$ , then  $x =$

- 1)  $c * (a^{-1} * b^{-1})$
- 2)  $c * (b^{-1} * a^{-1})$
- 3)  $(b^{-1} * c^{-1}) * c$
- 4)  $(a^{-1} * b^{-1}) * c$

*Mathematics*

Vikasana – CET 2012



- 38) If  $\{ z_7, x_7 \}$  is a group, then the inverse of 6 is
- 1) 6
  - 2) 4
  - 3) 1
  - 4) 3

Mathematics

Vikasana – CET 2012